

Kirkland Fine Arts Center
Millikin University

P.E. Kyle Van Sandt
LD: Amy Chisman

1st Elec

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|------|-----------------|---------|-----------------------|-------------|----------|--------|---------|
| 1 | S4 36ø | 575w | C/C | Scroller | 29' | 4 | (101) |
| 1a | Smartmove C/C | | C/C | C/C | | 2.101 | (At) |
| 2 | S4 36ø | 575w | C/C | Scroller | 27' | 1 | (102) |
| 2a | Smartmove C/C | | C/C | C/C | | 2.102 | (At) |
| 3 | S4 26ø | 575w | C/C | Scroller | 25' | 2 | (103) |
| 3a | Smartmove C/C | | C/C | C/C | | 2.103 | (At) |
| 4 | S4 26ø | 575w | C/C | Scroller | 23' | 3 | (104) |
| 4a | Smartmove C/C | | C/C | C/C | | 2.104 | (At) |
| 5 | S4 36ø | 575w | Rx362, T:Leaf Breakup | Leaf BU | 20' | 5 | (131) |
| 6 | S4 50ø | 575w | Rx57 | Lav Bax | 19' | 7 | (61) |
| 7 | 6x9 | 750w | Rx02 | Amb Bax | 18' | 8 | (81) |
| 8 | S4 36ø | 575w | Rx362, T:Leaf Breakup | Leaf BU | 17' | 9 | (131) |
| 9 | S4 36ø | 575w | tba | Spec | 15' | 11 | (236) |
| 10 | S4 36ø | 575w | tba | Spec | 14' | 12 | (236) |
| 11 | S4 36ø | 575w | Rx99 | Studio Side | 12' | 15 | (141) |
| 12 | S4 50ø | 575w | Rx57 | Lav Bax | 10' | 16 | (61) |
| 13 | 6x9 | 750w | Rx02 | Amb Bax | 9' | 17 | (81) |
| 14 | S4 36ø | 575w | Rx362, T:Leaf Breakup | Leaf BU | 8' | 18 | (132) |
| 15 | S4 36ø | 575w | tba | Spec | 7' | 19 | (237) |
| 16 | S4 36ø | 575w | tba | Spec | 6' | 20 | (238) |
| 17 | S4 36ø | 575w | tba | Spec | 5' | 21 | (239) |
| 18 | S4 36ø | 575w | Rx99 | Lamp | 4' | 22 | (351) |
| 19 | S4 36ø | 575w | Rx99 | Studio Side | 2' | 23 | (142) |
| 20 | S4 50ø | 575w | Rx57 | Lav Bax | 0'6" | 24 | (62) |
| 21 | 6x9 | 750w | Rx02 | Amb Bax | 0'6" | 25 | (82) |
| 22 | S4 36ø | 575w | Rx362, T:Leaf Breakup | Leaf BU | 2' | 26 | (133) |
| 23 | S4 36ø | 575w | | Studio | 4' | 28 | (240) |
| 24 | S4 36ø | 575w | | Studio | 5' | 29 | (241) |
| 25 | S4 36ø | 575w | | Studio | 6' | 30 | (240) |
| 26 | S4 36ø | 575w | Rx51 | Stairs | 7' | 31 | (16) |
| 27 | S4 36ø | 575w | Rx99 | Studio Side | 9' | 33 | (143) |
| 28 | 6x9 | 750w | Rx02 | Amb Bax | 10' | 34 | (83) |
| 29 | S4 50ø | 575w | Rx57 | Lav Bax | 11' | 35 | (63) |
| 30 | S4 36ø | 575w | Rx362, T:Leaf Breakup | Leaf BU | 12' | 36 | (133) |
| 31 | S4 36ø | 575w | Rx51 | Stairs | 14' | 38 | (16) |

1st Elec

| <i>Unit</i> | <i>Instrument Type</i> | <i>Wattage</i> | <i>Color and Template</i> | <i>Purpose</i> | <i>Distance</i> | <i>Dimmer</i> | <i>Channel</i> |
|-------------|------------------------|----------------|---------------------------|----------------|-----------------|---------------|----------------|
| 32 | S4 36ø | 575w | Rx99 | Studio Side | 16' | 40 | (144) |
| 33 | 6x9 | 750w | Rx02 | Amb Bax | 17' | 41 | (83) |
| 34 | S4 50ø | 575w | Rx57 | Lav Bax | 18' | 42 | (63) |
| 35 | S4 36ø | 575w | Rx99 | Studio Side | 20' | 45 | (145) |
| 36 | S4 36ø | 575w | L366 | End Lts | 23' | 46 | (121) |
| 37 | S4 36ø | 575w | L366 | End Lts | 25' | 48 | (122) |
| 38 | S4 26ø | 575w | L366 | End Lts | 27' | 47 | (122) |
| 39 | S4 26ø | 575w | L366 | End Lts | 29' | 43 | (121) |

1st Elec SL Ladder

| <i>Unit</i> | <i>Instrument Type</i> | <i>Wattage</i> | <i>Color and Template</i> | <i>Purpose</i> | <i>Distance</i> | <i>Dimmer</i> | <i>Channel</i> |
|---------------------------------------|------------------------|----------------|---------------------------|----------------|-----------------|---------------|----------------|
| 1 | S4 PAR MFL | 575w | L134 | HiSIDE | | 6 | (130) |
| Ganged by Dim w/ 1st Elec SL Ladder-3 | | | | | | | |
| 2 | S4 PAR MFL | 575w | Med Blue | HiSIDE | | 10 | (140) |
| Ganged by Dim w/ 1st Elec SL Ladder-4 | | | | | | | |
| 3 | S4 PAR MFL | 575w | L134 | HiSIDE | | 6 | (130) |
| Ganged by Dim w/ 1st Elec SL Ladder-1 | | | | | | | |
| 4 | S4 PAR MFL | 575w | Med Blue | HiSIDE | | 10 | (140) |
| Ganged by Dim w/ 1st Elec SL Ladder-2 | | | | | | | |
| 5 | S4 PAR MFL | 575w | L134 | HiSIDE | | 13 | (131) |
| Ganged by Dim w/ 1st Elec SL Ladder-7 | | | | | | | |
| 6 | S4 PAR MFL | 575w | Med Blue | HiSIDE | | 14 | (141) |
| Ganged by Dim w/ 1st Elec SL Ladder-8 | | | | | | | |
| 7 | S4 PAR MFL | 575w | L134 | HiSIDE | | 13 | (131) |
| Ganged by Dim w/ 1st Elec SL Ladder-5 | | | | | | | |
| 8 | S4 PAR MFL | 575w | Med Blue | HiSIDE | | 14 | (141) |
| Ganged by Dim w/ 1st Elec SL Ladder-6 | | | | | | | |

1st Elec SR Ladder

| <i>Unit</i> | <i>Instrument Type</i> | <i>Wattage</i> | <i>Color and Template</i> | <i>Purpose</i> | <i>Distance</i> | <i>Dimmer</i> | <i>Channel</i> |
|---------------------------------------|------------------------|----------------|---------------------------|----------------|-----------------|---------------|----------------|
| 1 | S4 PAR MFL | 575w | Lav | HiSIDE | | 44 | (160) |
| Ganged by Dim w/ 1st Elec SR Ladder-3 | | | | | | | |
| 2 | S4 PAR MFL | 575w | L017 | HiSIDE | | 39 | (150) |
| Ganged by Dim w/ 1st Elec SR Ladder-4 | | | | | | | |
| 3 | S4 PAR MFL | 575w | Lav | HiSIDE | | 44 | (160) |
| Ganged by Dim w/ 1st Elec SR Ladder-1 | | | | | | | |
| 4 | S4 PAR MFL | 575w | L017 | HiSIDE | | 39 | (150) |
| Ganged by Dim w/ 1st Elec SR Ladder-2 | | | | | | | |
| 5 | S4 PAR MFL | 575w | Lav | HiSIDE | | 37 | (161) |
| Ganged by Dim w/ 1st Elec SR Ladder-7 | | | | | | | |
| 6 | S4 PAR MFL | 575w | L017 | HiSIDE | | 32 | (151) |
| Ganged by Dim w/ 1st Elec SR Ladder-8 | | | | | | | |
| 7 | S4 PAR MFL | 575w | Lav | HiSIDE | | 37 | (161) |
| Ganged by Dim w/ 1st Elec SR Ladder-5 | | | | | | | |
| 8 | S4 PAR MFL | 575w | L017 | HiSIDE | | 32 | (151) |
| Ganged by Dim w/ 1st Elec SR Ladder-6 | | | | | | | |

Kaiser Pipe (Elec 1a)

IMP: 325-329

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|---|-----------------|---------|--------------------|----------------|----------|--------|---------|
| 1 | 6" Fres | 750w | N/C | Prop Highlight | | 325 | (253) |
| Ganged by Dim w/ Kaiser Pipe (Elec 1a)-19 | | | | | | | |
| 2 | 14" Scoop | | N/C | Studio Prop | | | |
| 3 | 14" Scoop | | N/C | Studio Prop | | | |
| 4 | 14" Scoop | | N/C | Studio Prop | | | |
| 5 | 14" Scoop | 1kw | Frost CLR | Studio ON | | 326 | (251) |
| Ganged by Dim w/ Kaiser Pipe (Elec 1a)-15 | | | | | | | |
| 6 | 14" Scoop | | N/C | Studio Prop | | | |
| 7 | 6" Fres | 750w | Rx51 | Kaiser Drop | | 327 | (248) |
| Ganged by Dim w/ Kaiser Pipe (Elec 1a)-9 | | | | | | | |
| 8 | 14" Scoop | | N/C | Studio Prop | | | |
| 9 | 6" Fres | 750w | Rx51 | Kaiser Drop | | 327 | (248) |
| Ganged by Dim w/ Kaiser Pipe (Elec 1a)-7 | | | | | | | |
| 10 | 14" Scoop | 1kw | Frost CLR | Studio ON | | 328 | (250) |
| 11 | 6" Fres | 750w | Rx03 | Kaiser Drop | | 329 | (249) |
| Ganged by Dim w/ Kaiser Pipe (Elec 1a)-13 | | | | | | | |
| 12 | 14" Scoop | | N/C | Studio Prop | | | |
| 13 | 6" Fres | 750w | Rx03 | Kaiser Drop | | 329 | (249) |
| Ganged by Dim w/ Kaiser Pipe (Elec 1a)-11 | | | | | | | |
| 14 | 14" Scoop | | N/C | Studio Prop | | | |
| 15 | 14" Scoop | 1kw | Frost CLR | Studio ON | | 326 | (251) |
| Ganged by Dim w/ Kaiser Pipe (Elec 1a)-5 | | | | | | | |
| 16 | 14" Scoop | | N/C | Studio Prop | | | |
| 17 | 14" Scoop | | N/C | Studio Prop | | | |
| 18 | 14" Scoop | | N/C | Studio Prop | | | |
| 19 | 6" Fres | 750w | N/C | Prop Highlight | | 325 | (253) |
| Ganged by Dim w/ Kaiser Pipe (Elec 1a)-1 | | | | | | | |

2nd Elec

IMP: 4 Soca & 322-324

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|------------------------------|-----------------|---------|-----------------------|-------------|----------|--------|---------|
| 1 | S4 36ø | 575w | C/C | Scroller | 29' | 251 | (105) |
| 1a | Smartmove C/C | | C/C | C/C | | 2.105 | (At) |
| 2 | S4 36ø | 575w | C/C | Scroller | 27' | 252 | (106) |
| 2a | Smartmove C/C | | C/C | C/C | | 2.106 | (At) |
| 3 | S4 26ø | 575w | C/C | Scroller | 25' | 253 | (107) |
| 3a | Smartmove C/C | | C/C | C/C | | 2.107 | (At) |
| 4 | S4 26ø | 575w | C/C | Scroller | 23' | 254 | (108) |
| 4a | Smartmove C/C | | C/C | C/C | | 2.108 | (At) |
| 5 | S4 36ø | 575w | Rx362, T:Leaf Breakup | Leaf BU | 20' | 322 | (134) |
| 6 | S4 50ø | 575w | Rx57 | Lav Bax | 19' | 323 | (64) |
| 7 | 6x9 | 750w | Rx02 | Amb Bax | 18' | 324 | (84) |
| 8 | S4 36ø | 575w | Rx362, T:Leaf Breakup | Leaf BU | 17' | 97 | (134) |
| 9 | S4 PAR WFL | 575w | tba | Upper | 15' | 100 | (241) |
| Ganged by Dim w/ 2nd Elec-10 | | | | | | | |
| 10 | S4 PAR WFL | 575w | tba | Upper | 14' | 100 | (241) |
| Ganged by Dim w/ 2nd Elec-9 | | | | | | | |
| 11 | S4 26ø | 575w | Rx99 | Set shaft | 13' | 101 | (244) |
| 12 | S4 36ø | 575w | Rx99 | Studio Side | 12' | 102 | (146) |
| 13 | S4 50ø | 575w | Rx57 | Lav Bax | 10' | 98 | (64) |
| 14 | 6x9 | 750w | Rx02 | Amb Bax | 9' | 99 | (84) |
| 15 | S4 36ø | 575w | Rx362, T:Leaf Breakup | Leaf BU | 8' | 103 | (135) |
| 16 | S4 PAR WFL | 575w | tba | Upper | 7' | 104 | (242) |
| 17 | S4 19ø | 575w | N/C | Scan | 6' | 255 | (223) |
| 17a | ellipsan | | | Ellipsan | | 2.1 | (At) |
| 18 | S4 PAR MFL | 575w | L201 | Dressing | 5' | 256 | (255) |
| Ganged by Dim w/ 2nd Elec-19 | | | | | | | |
| 19 | S4 PAR MFL | 575w | L201 | Dressing | 4' | 256 | (255) |
| Ganged by Dim w/ 2nd Elec-18 | | | | | | | |
| 20 | S4 36ø | 575w | Rx99 | Studio Side | 2' | 105 | (147) |
| 21 | S4 50ø | 575w | Rx57 | Lav Bax | 0'6" | 106 | (65) |
| 22 | 6x9 | 750w | Rx02 | Amb Bax | 0'6" | 107 | (85) |
| 23 | S4 36ø | 575w | Rx362, T:Leaf Breakup | Leaf BU | 2' | 108 | (136) |
| Ganged by Dim w/ 2nd Elec-33 | | | | | | | |
| 24 | S4 PAR MFL | 575w | Rx01 | Belle | 3' | 225 | (256) |
| Ganged by Dim w/ 2nd Elec-26 | | | | | | | |
| 25 | S4 PAR MFL | 575w | Rx01 | Belle | 4' | 226 | (257) |
| 26 | S4 PAR MFL | 575w | Rx01 | Belle | 5' | 225 | (256) |
| Ganged by Dim w/ 2nd Elec-24 | | | | | | | |
| 27 | S4 19ø | 575w | N/C | Scan | 5'6" | 227 | (224) |

2nd Elec

IMP: 4 Soca & 322-324

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|------------------------------|-----------------|---------|-----------------------|-------------|----------|--------|---------|
| 27a | ellipsan | | | Ellipsan | | 2.17 | (At) |
| 28 | S4 PAR WFL | 575w | Rx51 | Upper | 6' | 229 | (17) |
| Ganged by Dim w/ 2nd Elec-29 | | | | | | | |
| 29 | S4 PAR WFL | 575w | Rx51 | Upper | 7' | 229 | (17) |
| Ganged by Dim w/ 2nd Elec-28 | | | | | | | |
| 30 | S4 36ø | 575w | Rx99 | Studio Side | 9' | 109 | (148) |
| 31 | 6x9 | 750w | Rx02 | Amb Bax | 10' | 110 | (86) |
| Ganged by Dim w/ 2nd Elec-37 | | | | | | | |
| 32 | S4 50ø | 575w | Rx57 | Lav Bax | 11' | 111 | (66) |
| Ganged by Dim w/ 2nd Elec-38 | | | | | | | |
| 33 | S4 36ø | 575w | Rx362, T:Leaf Breakup | Leaf BU | 12' | 108 | (136) |
| Ganged by Dim w/ 2nd Elec-23 | | | | | | | |
| 34 | S4 26ø | 575w | Rx99 | Set shaft | 14' | 112 | (245) |
| 35 | S4 PAR WFL | 575w | Rx99 | Xlt Stair | 15' | 230 | (243) |
| 36 | S4 36ø | 575w | Rx99 | Studio Side | 16' | 113 | (149) |
| 37 | 6x9 | 750w | Rx02 | Amb Bax | 17' | 110 | (86) |
| Ganged by Dim w/ 2nd Elec-31 | | | | | | | |
| 38 | S4 50ø | 575w | Rx57 | Lav Bax | 18' | 111 | (66) |
| Ganged by Dim w/ 2nd Elec-32 | | | | | | | |
| 39 | S4 36ø | 575w | Rx99 | Studio Side | 20' | 114 | (150) |
| 40 | S4 26ø | 575w | L366 | End Lts | 22' | 115 | (123) |
| Ganged by Dim w/ 2nd Elec-43 | | | | | | | |
| 41 | S4 26ø | 575w | L366 | End Lts | 25' | 116 | (124) |
| Ganged by Dim w/ 2nd Elec-42 | | | | | | | |
| 42 | S4 36ø | 575w | L366 | End Lts | 27' | 116 | (124) |
| Ganged by Dim w/ 2nd Elec-41 | | | | | | | |
| 43 | S4 36ø | 575w | L366 | End Lts | 29' | 115 | (123) |
| Ganged by Dim w/ 2nd Elec-40 | | | | | | | |

2nd Elec SL Ladder

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|---------------------------------------|-----------------|---------|--------------------|---------|----------|--------|---------|
| 1 | S4 PAR MFL | 575w | L134 | HiSIDE | | 245 | (132) |
| Ganged by Dim w/ 2nd Elec SL Ladder-3 | | | | | | | |
| 2 | S4 PAR MFL | 575w | Med Blue | HiSIDE | | 246 | (142) |
| Ganged by Dim w/ 2nd Elec SL Ladder-4 | | | | | | | |
| 3 | S4 PAR MFL | 575w | L134 | HiSIDE | | 245 | (132) |
| Ganged by Dim w/ 2nd Elec SL Ladder-1 | | | | | | | |
| 4 | S4 PAR MFL | 575w | Med Blue | HiSIDE | | 246 | (142) |
| Ganged by Dim w/ 2nd Elec SL Ladder-2 | | | | | | | |
| 5 | S4 PAR MFL | 575w | L134 | HiSIDE | | 247 | (133) |
| 6 | S4 PAR MFL | 575w | Med Blue | HiSIDE | | 248 | (143) |
| 7 | S4 PAR MFL | 575w | L134 | HiSIDE | | 250 | (133) |
| 8 | S4 PAR MFL | 575w | Med Blue | HiSIDE | | 249 | (143) |

2nd Elec SR Ladder

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|---------------------------------------|-----------------|---------|--------------------|---------|----------|--------|---------|
| 1 | S4 PAR MFL | 575w | Lav | HiSIDE | | 231 | (162) |
| Ganged by Dim w/ 2nd Elec SR Ladder-3 | | | | | | | |
| 2 | S4 PAR MFL | 575w | L017 | HiSIDE | | 232 | (152) |
| Ganged by Dim w/ 2nd Elec SR Ladder-4 | | | | | | | |
| 3 | S4 PAR MFL | 575w | Lav | HiSIDE | | 231 | (162) |
| Ganged by Dim w/ 2nd Elec SR Ladder-1 | | | | | | | |
| 4 | S4 PAR MFL | 575w | L017 | HiSIDE | | 232 | (152) |
| Ganged by Dim w/ 2nd Elec SR Ladder-2 | | | | | | | |
| 5 | S4 PAR MFL | 575w | Lav | HiSIDE | | 233 | (163) |
| 6 | S4 PAR MFL | 575w | L017 | HiSIDE | | 234 | (153) |
| 7 | S4 PAR MFL | 575w | Lav | HiSIDE | | 235 | (163) |
| 8 | S4 PAR MFL | 575w | L017 | HiSIDE | | 236 | (153) |

City Building(s) (Elec 2a)

IMP: 318-321

| <i>Unit</i> | <i>Instrument Type</i> | <i>Wattage</i> | <i>Color and Template</i> | <i>Purpose</i> | <i>Distance</i> | <i>Dimmer</i> | <i>Channel</i> |
|---|------------------------|----------------|---------------------------|-----------------|-----------------|---------------|----------------|
| 1 | Practicle | | Lav/blue | building lights | | 318 | (313) |
| Ganged by Dim w/ City Building(s) (Elec 2a)-5 | | | | | | | |
| 2 | 6" Fres | 750w | L210 | building | | 319 | (320) |
| Ganged by Dim w/ City Building(s) (Elec 2a)-7 | | | | | | | |
| 3 | 6" Fres | 750w | N/C | building | | 320 | (321) |
| Ganged by Dim w/ City Building(s) (Elec 2a)-8 | | | | | | | |
| 4 | Practicle | | N/C | building lights | | 321 | (317) |
| Ganged by Dim w/ City Building(s) (Elec 2a)-6 | | | | | | | |
| 5 | Practicle | | Lav/blue | building lights | | 318 | (313) |
| Ganged by Dim w/ City Building(s) (Elec 2a)-1 | | | | | | | |
| 6 | Practicle | | N/C | building lights | | 321 | (317) |
| Ganged by Dim w/ City Building(s) (Elec 2a)-4 | | | | | | | |
| 7 | 6" Fres | 750w | L210 | building | | 319 | (320) |
| Ganged by Dim w/ City Building(s) (Elec 2a)-2 | | | | | | | |
| 8 | 6" Fres | 750w | N/C | building | | 320 | (321) |
| Ganged by Dim w/ City Building(s) (Elec 2a)-3 | | | | | | | |

3rd Elec

IMP: 141-144,147,148,150-156, 314-317

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|------------------------------|-----------------|---------|--------------------|-----------|----------|--------|---------|
| 1 | S4 36ø | 575w | C/C | Scroller | 29' | 147 | (109) |
| 1a | Smartmove C/C | | C/C | C/C | | 2.109 | (At) |
| 2 | S4 36ø | 575w | C/C | Scroller | 27' | 148 | (110) |
| 2a | Smartmove C/C | | C/C | C/C | | 2.110 | (At) |
| 3 | S4 26ø | 575w | C/C | Scroller | 25' | 152 | (111) |
| 3a | Smartmove C/C | | C/C | C/C | | 2.111 | (At) |
| 4 | S4 26ø | 575w | C/C | Scroller | 23' | 117 | (112) |
| 4a | Smartmove C/C | | C/C | C/C | | 2.112 | (At) |
| 5 | S4 36ø | 575w | tba | tba | 20' | 314 | (137) |
| 6 | S4 50ø | 575w | Rx57 | Lav Bax | 19' | 315 | (67) |
| 7 | 6x9 | 750w | Rx02 | Amb Bax | 18' | 316 | (87) |
| 8 | S4 36ø | 575w | tba | tba | 17' | 118 | (137) |
| 9 | S4 36ø | 575w | N/C | Bax TBA | 12' | 121 | (151) |
| 10 | S4 50ø | 575w | Rx57 | Lav Bax | 11' | 119 | (67) |
| 11 | 6x9 | 750w | Rx02 | Amb Bax | 10' | 120 | (87) |
| 12 | S4 36ø | 575w | tba | tba | 8' | 122 | (138) |
| 13 | S4 26ø | 575w | Rx99 | Set shaft | 6' | 123 | (246) |
| 14 | S4 26ø | 575w | Rx99 | Set shaft | 4' | 124 | (247) |
| 15 | S4 36ø | 575w | N/C | Bax TBA | 2' | 125 | (152) |
| 16 | S4 50ø | 575w | Rx57 | Lav Bax | 6" | 126 | (68) |
| 17 | 6x9 | 750w | Rx02 | Amb Bax | 6" | 127 | (88) |
| 18 | S4 36ø | 575w | tba | tba | 2' | 317 | (139) |
| 19 | 6" Fres | 750w | ltblue/lav | Moon Disc | 4' | 132 | (258) |
| Ganged by Dim w/ 3rd Elec-22 | | | | | | | |
| 20 | 6" Fres | 750w | ltblue/lav | Moon Disc | 5' | 151 | (259) |
| Ganged by Dim w/ 3rd Elec-21 | | | | | | | |
| 21 | 6" Fres | 750w | ltblue/lav | Moon Disc | 6' | 151 | (259) |
| Ganged by Dim w/ 3rd Elec-20 | | | | | | | |
| 22 | 6" Fres | 750w | ltblue/lav | Moon Disc | 7' | 132 | (258) |
| Ganged by Dim w/ 3rd Elec-19 | | | | | | | |
| 23 | S4 36ø | 575w | N/C | Bax TBA | 9' | 129 | (153) |
| 24 | 6x9 | 750w | Rx02 | Amb Bax | 10' | 130 | (89) |
| Ganged by Dim w/ 3rd Elec-28 | | | | | | | |
| 25 | S4 50ø | 575w | Rx57 | Lav Bax | 11' | 131 | (69) |
| Ganged by Dim w/ 3rd Elec-29 | | | | | | | |
| 26 | S4 36ø | 575w | tba | tba | 12' | 128 | (139) |
| 27 | S4 36ø | 575w | N/C | Bax TBA | 16' | 133 | (154) |
| 28 | 6x9 | 750w | Rx02 | Amb Bax | 17' | 130 | (89) |
| Ganged by Dim w/ 3rd Elec-24 | | | | | | | |

3rd Elec

IMP: 141-144,147,148,150-156, 314-317

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|------------------------------|-----------------|---------|--------------------|---------|----------|--------|---------|
| 29 | S4 50ø | 575w | Rx57 | Lav Bax | 18' | 131 | (69) |
| Ganged by Dim w/ 3rd Elec-25 | | | | | | | |
| 30 | S4 36ø | 575w | N/C | Bax TBA | 20' | 134 | (155) |
| 31 | S4 26ø | 575w | L366 | End Lts | 23' | 135 | (125) |
| Ganged by Dim w/ 3rd Elec-34 | | | | | | | |
| 32 | S4 26ø | 575w | L366 | End Lts | 25' | 136 | (126) |
| Ganged by Dim w/ 3rd Elec-33 | | | | | | | |
| 33 | S4 36ø | 575w | L366 | End Lts | 27' | 136 | (126) |
| Ganged by Dim w/ 3rd Elec-32 | | | | | | | |
| 34 | S4 36ø | 575w | L366 | End Lts | 29' | 135 | (125) |
| Ganged by Dim w/ 3rd Elec-31 | | | | | | | |

3rd Elec SL Ladder

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|---------------------------------------|-----------------|---------|--------------------|---------|----------|--------|---------|
| 1 | S4 PAR MFL | 575w | L134 | HiSIDE | | 141 | (134) |
| Ganged by Dim w/ 3rd Elec SL Ladder-3 | | | | | | | |
| 2 | S4 PAR MFL | 575w | Med Blue | HiSIDE | | 142 | (144) |
| Ganged by Dim w/ 3rd Elec SL Ladder-4 | | | | | | | |
| 3 | S4 PAR MFL | 575w | L134 | HiSIDE | | 141 | (134) |
| Ganged by Dim w/ 3rd Elec SL Ladder-1 | | | | | | | |
| 4 | S4 PAR MFL | 575w | Med Blue | HiSIDE | | 142 | (144) |
| Ganged by Dim w/ 3rd Elec SL Ladder-2 | | | | | | | |
| 5 | S4 PAR MFL | 575w | L134 | HiSIDE | | 143 | (135) |
| Ganged by Dim w/ 3rd Elec SL Ladder-7 | | | | | | | |
| 6 | S4 PAR MFL | 575w | Med Blue | HiSIDE | | 144 | (145) |
| Ganged by Dim w/ 3rd Elec SL Ladder-8 | | | | | | | |
| 7 | S4 PAR MFL | 575w | L134 | HiSIDE | | 143 | (135) |
| Ganged by Dim w/ 3rd Elec SL Ladder-5 | | | | | | | |
| 8 | S4 PAR MFL | 575w | Med Blue | HiSIDE | | 144 | (145) |
| Ganged by Dim w/ 3rd Elec SL Ladder-6 | | | | | | | |

3rd Elec SR Ladder

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|---------------------------------------|-----------------|---------|--------------------|---------|----------|--------|---------|
| 1 | S4 PAR MFL | 575w | Lav | HiSIDE | | 154 | (164) |
| Ganged by Dim w/ 3rd Elec SR Ladder-3 | | | | | | | |
| 2 | S4 PAR MFL | 575w | L017 | HiSIDE | | 155 | (154) |
| Ganged by Dim w/ 3rd Elec SR Ladder-4 | | | | | | | |
| 3 | S4 PAR MFL | 575w | Lav | HiSIDE | | 154 | (164) |
| Ganged by Dim w/ 3rd Elec SR Ladder-1 | | | | | | | |
| 4 | S4 PAR MFL | 575w | L017 | HiSIDE | | 155 | (154) |
| Ganged by Dim w/ 3rd Elec SR Ladder-2 | | | | | | | |
| 5 | S4 PAR MFL | 575w | Lav | HiSIDE | | 156 | (165) |
| Ganged by Dim w/ 3rd Elec SR Ladder-7 | | | | | | | |
| 6 | S4 PAR MFL | 575w | L017 | HiSIDE | | 150 | (155) |
| Ganged by Dim w/ 3rd Elec SR Ladder-8 | | | | | | | |
| 7 | S4 PAR MFL | 575w | Lav | HiSIDE | | 156 | (165) |
| Ganged by Dim w/ 3rd Elec SR Ladder-5 | | | | | | | |
| 8 | S4 PAR MFL | 575w | L017 | HiSIDE | | 150 | (155) |
| Ganged by Dim w/ 3rd Elec SR Ladder-6 | | | | | | | |

4th Elec

EXP: GRN-141-144,147,148 BLU-150-156

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|------------------------------|-----------------|---------|--------------------|---------|----------|--------|---------|
| 1 | S4 PAR WFL | 575w | Rx57 | StarDrp | 27' | 137 | (261) |
| Ganged by Dim w/ 4th Elec-2 | | | | | | | |
| 2 | S4 PAR WFL | 575w | Rx57 | StarDrp | 26' | 137 | (261) |
| Ganged by Dim w/ 4th Elec-1 | | | | | | | |
| 3 | S4 26ø | 575w | Rx57 | Lav Bax | 18' | 138 | (70) |
| Ganged by Dim w/ 4th Elec-8 | | | | | | | |
| 4 | S4 26ø | 575w | Rx02 | Amb Bax | 17' | 139 | (90) |
| Ganged by Dim w/ 4th Elec-9 | | | | | | | |
| 5 | S4 26ø | 575w | Rx57 | Lav Bax | 7' | 145 | (60) |
| 6 | S4 26ø | 575w | Rx02 | Amb Bax | 1' | 146 | (80) |
| 7 | S4 26ø | 575w | L201 | Moon Lt | 1' | 149 | (260) |
| 8 | S4 26ø | 575w | Rx57 | Lav Bax | 13' | 138 | (70) |
| Ganged by Dim w/ 4th Elec-3 | | | | | | | |
| 9 | S4 26ø | 575w | Rx02 | Amb Bax | 14' | 139 | (90) |
| Ganged by Dim w/ 4th Elec-4 | | | | | | | |
| 10 | S4 PAR WFL | 575w | N/C | StarDrp | 20' | 153 | (262) |
| Ganged by Dim w/ 4th Elec-11 | | | | | | | |
| 11 | S4 PAR WFL | 575w | N/C | StarDrp | 21' | 153 | (262) |
| Ganged by Dim w/ 4th Elec-10 | | | | | | | |

5th Elec

| <i>Unit</i> | <i>Instrument Type</i> | <i>Wattage</i> | <i>Color and Template</i> | <i>Purpose</i> | <i>Distance</i> | <i>Dimmer</i> | <i>Channel</i> |
|-------------|------------------------|----------------|---------------------------|----------------|-----------------|---------------|----------------|
| 1a | Cyc Cells | 2kw | | Cyc Tops | | | |
| 1b | Cyc Cells | 2kw | | Cyc Tops | | | |
| 1c | Cyc Cells | 2kw | | Cyc Tops | | | |
| 1d | Cyc Cells | 2kw | | Cyc Tops | | | |
| 2a | Cyc Cells | 2kw | | Cyc Tops | | | |
| 2b | Cyc Cells | 2kw | | Cyc Tops | | | |
| 2c | Cyc Cells | 2kw | | Cyc Tops | | | |
| 2d | Cyc Cells | 2kw | | Cyc Tops | | | |
| 3a | Cyc Cells | 2kw | | Cyc Tops | | | |
| 3b | Cyc Cells | 2kw | | Cyc Tops | | | |
| 3c | Cyc Cells | 2kw | | Cyc Tops | | | |
| 3d | Cyc Cells | 2kw | | Cyc Tops | | | |
| 4a | Cyc Cells | 2kw | 2 BL 2 Pur | Cyc Tops | | | |
| 4b | Cyc Cells | 2kw | 2 BL 2 Pur | Cyc Tops | | | |
| 4c | Cyc Cells | 2kw | 2 BL 2 Pur | Cyc Tops | | | |
| 4d | Cyc Cells | 2kw | 2 BL 2 Pur | Cyc Tops | | | |

Ground Row

| <i>Unit</i> | <i>Instrument Type</i> | <i>Wattage</i> | <i>Color and Template</i> | <i>Purpose</i> | <i>Distance</i> | <i>Dimmer</i> | <i>Channel</i> |
|-------------|------------------------|----------------|---------------------------|----------------|-----------------|---------------|----------------|
| 1a | Cyc Cells | 2kw | | Cyc Bottoms | | 157 | |
| 1b | Cyc Cells | 2kw | | Cyc Bottoms | | 158 | |
| 1c | Cyc Cells | 2kw | | Cyc Bottoms | | 159 | |
| 1d | Cyc Cells | 2kw | | Cyc Bottoms | | 160 | |
| 2a | Cyc Cells | 2kw | | Cyc Bottoms | | 161 | |
| 2b | Cyc Cells | 2kw | | Cyc Bottoms | | 162 | |
| 2c | Cyc Cells | 2kw | | Cyc Bottoms | | 163 | |
| 2d | Cyc Cells | 2kw | | Cyc Bottoms | | 164 | |
| 3a | Cyc Cells | 2kw | | Cyc Bottoms | | 165 | |
| 3b | Cyc Cells | 2kw | | Cyc Bottoms | | 166 | |
| 3c | Cyc Cells | 2kw | | Cyc Bottoms | | 167 | |
| 3d | Cyc Cells | 2kw | | Cyc Bottoms | | 168 | |
| 4a | Cyc Cells | 2kw | 4 Color | Cyc Bottoms | | 169 | |
| 4b | Cyc Cells | 2kw | 4 Color | Cyc Bottoms | | 170 | |
| 4c | Cyc Cells | 2kw | 4 Color | Cyc Bottoms | | 171 | |
| 4d | Cyc Cells | 2kw | 4 Color | Cyc Bottoms | | 172 | |

DSL Slot Top

IMP: 83-92 (Floor Pocket)

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|---------------------------------|-----------------|---------|--------------------|---------|----------|--------|---------|
| 2 | PAR 64 MFL | 1kw | Med Blue | Side Lt | | 270 | (146) |
| Ganged by Dim w/ DSL Slot Top-3 | | | | | | | |
| 3 | PAR 64 MFL | 1kw | Med Blue | Side Lt | | 270 | (146) |
| Ganged by Dim w/ DSL Slot Top-2 | | | | | | | |
| 5 | PAR 64 MFL | 1kw | L134 | Side Lt | | 271 | (136) |
| Ganged by Dim w/ DSL Slot Top-6 | | | | | | | |
| 6 | PAR 64 MFL | 1kw | L134 | Side Lt | | 271 | (136) |
| Ganged by Dim w/ DSL Slot Top-5 | | | | | | | |

USL Slot Top

IMP: 83-92 (Floor Pocket)

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|-----------------------------------|-----------------|---------|--------------------|-----------|----------|--------|---------|
| 1 | S4 26ø | 575w | N/C | Scan | | 272 | (220) |
| 1a | ellipscan | | | Ellipscan | | 2.33 | (At) |
| 1aa | S4 26ø | 575w | Rx362 | Leaf BU | | 273 | (140) |
| Ganged by Dim w/ USL Slot Top-3 | | | | | | | |
| 2 | S4 36ø | 575w | Rx362 | Leaf BU | | 274 | (140) |
| 3 | S4 36ø | 575w | Rx362 | Leaf BU | | 273 | (140) |
| Ganged by Dim w/ USL Slot Top-1aa | | | | | | | |
| 4 | S4 26ø | 575w | C/C | Scroller | | 275 | (113) |
| 4a | Smartmove C/C | | C/C | C/C | | 2.113 | (At) |
| 5 | S4 36ø | 575w | C/C | Scroller | | 276 | (114) |
| 5a | Smartmove C/C | | C/C | C/C | | 2.114 | (At) |
| 6 | S4 36ø | 575w | C/C | Scroller | | 84 | (113) |
| 6a | Smartmove C/C | | C/C | C/C | | 2.115 | (At) |

USL Slot Bottom

IMP: 83-92 (Floor Pocket)

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|------|-----------------|---------|--------------------|----------|----------|--------|---------|
| 1 | S4 26ø | 575w | | Vaudv | | 277 | (340) |
| 2 | S4 26ø | 575w | | Vaudv | | 83 | (340) |
| 3 | S4 26ø | 575w | | Vaudv | | 89 | (341) |
| 4 | S4 26ø | 575w | | Vaudv | | 92 | (341) |
| 5 | PAR 64 MFL | 1kw | N/C | Low Side | | 90 | (164) |
| 6 | PAR 64 MFL | 1kw | Pink | Low Side | | 91 | (163) |

DSR Slot Top

IMP: 87-96 (Floor Pocket)

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|---------------------------------|-----------------|---------|--------------------|---------|----------|--------|---------|
| 2 | PAR 64 MFL | 1kw | L017 | Side Lt | | 278 | (156) |
| Ganged by Dim w/ DSR Slot Top-5 | | | | | | | |
| 3 | PAR 64 MFL | 1kw | Lav | Side Lt | | 279 | (166) |
| Ganged by Dim w/ DSR Slot Top-4 | | | | | | | |
| 4 | PAR 64 MFL | 1kw | Lav | Side Lt | | 279 | (166) |
| Ganged by Dim w/ DSR Slot Top-3 | | | | | | | |
| 5 | PAR 64 MFL | 1kw | L017 | Side Lt | | 278 | (156) |
| Ganged by Dim w/ DSR Slot Top-2 | | | | | | | |

USR Slot Top

IMP: 87-96 (Floor Pocket)

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|-----------------------------------|-----------------|---------|--------------------|-----------|----------|--------|---------|
| 1 | S4 26ø | 575w | N/C | Scan | | 280 | (221) |
| 1a | ellipscan | | | Ellipscan | | 2.65 | (At) |
| 1aa | S4 26ø | 575w | L366 | End Lts | | 281 | (127) |
| Ganged by Dim w/ USR Slot Top-5 | | | | | | | |
| 2 | S4 26ø | 575w | Rx99 | Studio | | 282 | |
| Ganged by Dim w/ USR Slot Top-4 | | | | | | | |
| 3 | S4 36ø | 575w | L366 | End Lts | | 283 | (128) |
| 4 | S4 36ø | 575w | Rx99 | Studio | | 282 | |
| Ganged by Dim w/ USR Slot Top-2 | | | | | | | |
| 5 | S4 36ø | 575w | L366 | End Lts | | 281 | (127) |
| Ganged by Dim w/ USR Slot Top-1aa | | | | | | | |

USR Slot Bottom

IMP: 87-96 (Floor Pocket)

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|------|-----------------|---------|--------------------|----------|----------|--------|---------|
| 1 | S4 26ø | 575w | | Flickr | | 284 | (337) |
| 2 | S4 26ø | 575w | | Flickr | | 285 | (338) |
| 3 | S4 26ø | 575w | | Vaudv | | 93 | (343) |
| 4 | S4 26ø | 575w | | Vaudv | | 88 | (343) |
| 5 | S4 26ø | 575w | | Vaudv | | 94 | (342) |
| 6 | S4 26ø | 575w | | Vaudv | | 87 | (342) |
| 7 | PAR 64 MFL | 1kw | N/C | Low Side | | 95 | (162) |
| 8 | PAR 64 MFL | 1kw | Pink | Low Side | | 96 | (161) |

2nd Beam

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|------------------------------|-----------------|---------|--------------------|---------|----------|--------|---------|
| 1 | S4 19ø | 750w | Rx08 | "A" | 25' | 209 | (21) |
| 2 | S4 19ø | 750w | Rx08 | "F" | 24' | 210 | (26) |
| Ganged by Dim w/ 2nd Beam-4 | | | | | | | |
| 3 | S4 19ø | 750w | Rx08 | "B" | 23' | 211a | (22) |
| 4 | S4 19ø | 750w | Rx08 | "G" | 22' | 210 | (26) |
| Ganged by Dim w/ 2nd Beam-2 | | | | | | | |
| 5 | S4 19ø | 750w | Rx51 | "A" | 20' | 211b | (1) |
| 6 | S4 19ø | 750w | Rx51 | "F" | 19' | 212a | (6) |
| 7 | S4 19ø | 750w | Rx51 | "K" | 18' | 212b | (11) |
| 8 | S4 19ø | 750w | Rx08 | "C" | 17' | 193 | (23) |
| 9 | S4 19ø | 750w | Rx08 | "M/L" | 16' | 195a | (29) |
| 10 | S4 19ø | 750w | Rx08 | "D" | 14' | 195b | (24) |
| 11 | S4 19ø | 750w | Rx08 | "M/N" | 13' | 194a | (29) |
| 12 | S4 10ø | 750w | N/C | Special | 12' | 194b | (231) |
| 13 | S4 19ø | 750w | Rx51 | "B" | 11' | 196a | (2) |
| 14 | S4 19ø | 750w | Rx51 | "G" | 10' | 196b | (7) |
| 15 | S4 19ø | 750w | Rx51 | "L" | 9' | 213a | (12) |
| 16 | S4 19ø | 750w | Rx08 | "H" | 7' | 213b | (27) |
| 17 | S4 19ø | 750w | Rx08 | "I" | 6' | 214 | (28) |
| Ganged by Dim w/ 2nd Beam-19 | | | | | | | |
| 18 | S4 19ø | 750w | Rx08 | "E" | 5' | 215a | (25) |
| 19 | S4 19ø | 750w | Rx08 | "J" | 4' | 214 | (28) |
| Ganged by Dim w/ 2nd Beam-17 | | | | | | | |
| 20 | S4 10ø | 750w | N/C | Special | 3' | 197 | (232) |
| 21 | S4 10ø | 750w | N/C | Special | 2' | 198 | (233) |
| 22 | S4 19ø | 750w | Rx51 | "C" | 1' | 215b | (3) |
| 23 | S4 19ø | 750w | Rx51 | "H" | CL | 201a | (8) |
| 24 | S4 19ø | 750w | Rx51 | "M" | 1' | 201b | (13) |
| 25 | S4 10ø | 750w | N/C | Special | 2' | 202 | (234) |
| 26 | S4 19ø | 750w | Rx05 | "A" | 3' | 203a | (31) |
| 27 | S4 19ø | 750w | Rx05 | "F" | 4' | 204 | (36) |
| Ganged by Dim w/ 2nd Beam-29 | | | | | | | |
| 28 | S4 19ø | 750w | Rx05 | "B" | 5' | 203b | (32) |
| 29 | S4 19ø | 750w | Rx05 | "G" | 6' | 204 | (36) |
| Ganged by Dim w/ 2nd Beam-27 | | | | | | | |
| 30 | S4 19ø | 750w | Rx51 | "D" | 9' | 217a | (4) |
| 31 | S4 19ø | 750w | Rx51 | "I" | 10' | 217b | (9) |
| 32 | S4 19ø | 750w | Rx51 | "N" | 11' | 218a | (14) |
| 33 | S4 10ø | 750w | N/C | Special | 12' | 219 | (235) |

2nd Beam

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|------------------------------|-----------------|---------|--------------------|---------|----------|--------|---------|
| 34 | S4 19ø | 750w | Rx05 | "C" | 13' | 218b | (33) |
| 35 | S4 19ø | 750w | Rx05 | "M/L" | 14' | 220 | (39) |
| Ganged by Dim w/ 2nd Beam-37 | | | | | | | |
| 36 | S4 19ø | 750w | Rx05 | "D" | 15' | 205 | (34) |
| 37 | S4 19ø | 750w | Rx05 | "N/M" | 16' | 220 | (39) |
| Ganged by Dim w/ 2nd Beam-35 | | | | | | | |
| 38 | S4 19ø | 750w | Rx51 | "E" | 18' | 206 | (5) |
| 39 | S4 19ø | 750w | Rx51 | "J" | 19' | 207 | (10) |
| 40 | S4 19ø | 750w | Rx51 | "O" | 20' | 208 | (15) |
| 41 | S4 19ø | 750w | Rx05 | "H" | 21' | 221 | (37) |
| 42 | S4 19ø | 750w | Rx05 | "I" | 22' | 223 | (38) |
| Ganged by Dim w/ 2nd Beam-44 | | | | | | | |
| 43 | S4 19ø | 750w | Rx05 | "E" | 23' | 222 | (35) |
| 44 | S4 19ø | 750w | Rx05 | "J" | 24' | 223 | (38) |
| Ganged by Dim w/ 2nd Beam-42 | | | | | | | |

HR Loge

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|-----------------------------|-----------------|---------|--------------------|---------|----------|--------|---------|
| 1 | S4 19ø | 750w | Rx 83 | Blue SL | | 257 | (43) |
| Ganged by Dim w/ HR Loge-3 | | | | | | | |
| 2 | S4 19ø | 750w | Rx13 | Gold SL | | 258 | (41) |
| Ganged by Dim w/ HR Loge-4 | | | | | | | |
| 3 | S4 19ø | 750w | Rx 83 | Blue SL | | 257 | (43) |
| Ganged by Dim w/ HR Loge-1 | | | | | | | |
| 4 | S4 19ø | 750w | Rx13 | Gold SL | | 258 | (41) |
| Ganged by Dim w/ HR Loge-2 | | | | | | | |
| 5 | S4 19ø | 750w | Rx 83 | Blue CS | | 259a | (44) |
| 6 | S4 19ø | 750w | Rx13 | Gold CS | | 259b | (42) |
| 7 | S4 19ø | 750w | Rx 83 | Blue SR | | 260 | (45) |
| Ganged by Dim w/ HR Loge-9 | | | | | | | |
| 8 | S4 19ø | 750w | Rx13 | Gold SR | | 261 | (43) |
| Ganged by Dim w/ HR Loge-10 | | | | | | | |
| 9 | S4 19ø | 750w | Rx 83 | Blue SR | | 260 | (45) |
| Ganged by Dim w/ HR Loge-7 | | | | | | | |
| 10 | S4 19ø | 750w | Rx13 | Gold SR | | 261 | (43) |
| Ganged by Dim w/ HR Loge-8 | | | | | | | |
| 11 | S4 26ø | 575w | Rx03 | Curtain | | 262 | (335) |
| Ganged by Dim w/ HR Loge-12 | | | | | | | |
| 12 | S4 26ø | 575w | Rx03 | Curtain | | 262 | (335) |
| Ganged by Dim w/ HR Loge-11 | | | | | | | |

HL Loge

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|-----------------------------|-----------------|---------|--------------------|---------|----------|--------|---------|
| 1 | S4 26ø | 575w | Rx03 | Curtain | | 263 | (336) |
| Ganged by Dim w/ HL Loge-2 | | | | | | | |
| 2 | S4 26ø | 575w | Rx03 | Curtain | | 263 | (336) |
| Ganged by Dim w/ HL Loge-1 | | | | | | | |
| 3 | S4 19ø | 750w | L127 | SmkPkSL | | 264 | (51) |
| Ganged by Dim w/ HL Loge-5 | | | | | | | |
| 4 | S4 19ø | 750w | Rx56 | PrpSL | | 265 | (54) |
| Ganged by Dim w/ HL Loge-6 | | | | | | | |
| 5 | S4 19ø | 750w | L127 | SmkPkSL | | 264 | (51) |
| Ganged by Dim w/ HL Loge-3 | | | | | | | |
| 6 | S4 19ø | 750w | Rx56 | PrpSL | | 265 | (54) |
| Ganged by Dim w/ HL Loge-4 | | | | | | | |
| 7 | S4 19ø | 750w | L127 | SmkPkCS | | 266a | (52) |
| 8 | S4 19ø | 750w | Rx56 | Prp_CS | | 266b | (55) |
| 9 | S4 19ø | 750w | L127 | SmkPkSR | | 267 | (53) |
| Ganged by Dim w/ HL Loge-11 | | | | | | | |
| 10 | S4 19ø | 750w | Rx56 | PrpSR | | 268 | (56) |
| Ganged by Dim w/ HL Loge-12 | | | | | | | |
| 11 | S4 19ø | 750w | L127 | SmkPkSR | | 267 | (53) |
| Ganged by Dim w/ HL Loge-9 | | | | | | | |
| 12 | S4 19ø | 750w | Rx56 | PrpSR | | 268 | (56) |
| Ganged by Dim w/ HL Loge-10 | | | | | | | |

BALCONY RAIL

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|------|-----------------|---------|--------------------|---------|----------|--------|---------|
| | SuperStar 2.5 | 2500w | | | | | |
| | SuperStar 2.5 | 2500w | | | | | |

GYNORMOUS WAGON

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|------|---------------------|---------|--------------------|-------------|----------|--------|---------|
| 1 | S4 PAR WFL | 575w | Rx51 | Under Light | | | (332) |
| 2 | S4 PAR WFL | 575w | Rx08 | Under Light | | | (333) |
| 3 | S4 PAR WFL | 575w | Rx08 | Under Light | | | (333) |
| 4 | S4 PAR WFL | 575w | Rx51 | Under Light | | | (332) |
| 5 | Zip Strip 1 Circuit | 2w | N/C | Bax 1 cir | | | (326) |

CS CITY GR

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|------|-----------------|---------|--------------------|-----------------|----------|--------|---------|
| 1 | Practicle | | N/C | building lights | | | (314) |
| 2 | Practicle | | Lav/blue | building lights | | | (310) |

SL CITY GR

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|------|---------------------|---------|--------------------|-----------------|----------|--------|---------|
| 1 | Practicle | | N/C | building lights | | | (315) |
| 2 | Practicle | | Lav/blue | building lights | | | (311) |
| 3a | Zip Strip 2 Circuit | 2w | Lav/Blue 2 cir | air light | | | |
| 3b | Zip Strip 2 Circuit | | | | | | |

SR CITY GR

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|------|---------------------|---------|--------------------|-----------------|----------|--------|---------|
| 1 | Practicle | | N/C | building lights | | | (316) |
| 2 | Practicle | | Lav/blue | building lights | | | (312) |
| 3a | Zip Strip 2 Circuit | 2w | Lav/Blue 2 cir | air light | | | |
| 3b | Zip Strip 2 Circuit | | | | | | |

ON AIR

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|------|-----------------|---------|--------------------|--------------|----------|--------|---------|
| | Practicle | | | On Air Signs | | | (330) |
| | Practicle | | | On Air Signs | | | (330) |

DECK

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|------|-----------------|---------|--------------------|-----------|----------|--------|---------|
| 1 | Practicle | | | Park Lamp | | | (350) |

DECK SL HIGH

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|------|-----------------|---------|--------------------|---------|----------|--------|---------|
| | | | | L1 | | 242 | |
| | | | | L2 | | 243 | |
| | | | | L3 | | 241 | |
| | | | | L4 | | 244 | |

DECK SL LOW

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|------|-----------------|---------|--------------------|---------|----------|--------|---------|
| | | | | L5 | | 52 | |
| | | | | L6 | | 50 | |
| | | | | L7 | | 51 | |
| | | | | L8 | | 49 | |

DECK SR HIGH

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|------|-----------------|---------|--------------------|---------|----------|--------|---------|
| | | | | R1 | | 238 | |
| | | | | R2 | | 237 | |
| | | | | R3 | | 239 | |
| | | | | R4 | | 240 | |

DECK SR LOW

| Unit | Instrument Type | Wattage | Color and Template | Purpose | Distance | Dimmer | Channel |
|------|-----------------|---------|--------------------|---------|----------|--------|---------|
| | | | | R5 | | 77 | |
| | | | | R6 | | 78 | |
| | | | | R7 | | 79 | |
| | | | | R8 | | 80 | |